Tema Type Coupling

This Range interchanges with:
Tema T series, Stucchi IRH, Ryco R130

QTC Tema Type Coupling

*Material – Steel

*APPLICATIONS

*Valve Type - Poppet

A rugged high flow coupling offering minimum pressure drop and minimum flow drop. Particularly suited to hydraulic applications in the transport industry. Also suited to the high flow requirements of the commercial carpet cleaning industry.

*FEATURES

Manual locking ring to prevent accidental disconnection Double O Ring for improved sealing

*TECHNICAL

Coupler Body – Steel, Trivalent Plated Poppet Type Steel Valve Seals – Nitrile (Buna N) with PTFE backup ring

Temperature Range: -25C to +125C


SEAL KITS

Body	Item No	Price Inc.
Size		GST
3/8"	QTCSK-06F	\$5.50
1/2"	QTCSK-08F	\$5.50
3/4"	QTCSK-12F	\$8.80
1"	QTCSK-16F	\$8.80






Phone: 0418 641 566 www.catford.com.au sales@catford.com.au



Female Coupler



Male Coupler

Coupler	Body		Thread	W.P.	Price	
Male/Female	Size		Т	Dash	(Bar)*	Inc. GST
QTC-06MF	3/8"	BSPP	3/8"	-06	350	\$90.20
QTC-08MF	1/2"	BSPP	1/2"	-08	350	\$125.40
QTC-12MF	3/4"	BSPP	3/4"	-12	300	\$198.00
QTC-16MF	1"	BSPP	1"	-16	300	\$308.00

Coupler	Body		Thread		W.P.	Price
Female	Size		Т	Dash	(Bar)*	Inc. GST
QTC-06F	3/8"	BSPP	3/8"	-06	350	\$77.00
QTC-08F	1/2"	BSPP	1/2"	-08	350	\$102.30
QTC-12F	3/4"	BSPP	3/4"	-12	300	\$174.90
QTC-16F	1"	BSPP	1"	-16	300	\$238.70

Coupler	Body		Thread		W.P.	Price
Male	Size		Т	Dash	(Bar)*	Inc. GST
QTC-06M	3/8"	BSPP	3/8"	-06	350	\$28.60
QTC-08M	1/2"	BSPP	1/2"	-08	300	\$44.00
QTC-12M	3/4"	BSPP	3/4"	-12	300	\$57.20
QTC-16M	1"	BSPP	1"	-16	300	\$85.80

* Connected

Flat Face High Pressure

This Range interchanges with:
All standard ISO 16028 Flat Face Couplings
Stucchi Flat Face "A" Premier Series
Faster FFH

QFH Flat Face High Pressure

*Material - Steel

*Valve Type - Poppet

*APPLICATIONS

Widely used in the public utility markets where oil spillage can constitute a serious hazard. Higher working pressures, improved flow rating and lower pressure drop than the standard QFF series. Increased number of connection balls reduces brinelling under arduous conditions.





*TECHNICAL

Coupler Body – Steel, Trivalent Plated Standard Seals – Nitrile NBR Temperature Range: -20C to +120C



Phone: 0418 641 566 www.catford.com.au sales@catford.com.au

Coupler	Body	Thread			W.P.	B.P.	Price
Male/Female	Size		T 1	Dash	(Bar)*	(Bar)*	Inc. GST
QFH-04MF	1/4"	BSPP	1/4"	-04	420	1250	\$130.00
QFH-06MF	3/8"	BSPP	3/8"	-06	350	1000	\$194.00
QFH-0608MF	3/8"	BSPP	1/2"	-08	350	1000	\$220.00
QFH-08MF	1/2"	BSPP	1/2"	-08	330	1000	\$220.00
QFH-0812MF	1/2"	BSPP	3/4"	-12	330	1000	\$236.00
QFH-12MF	3/4"	BSPP	3/4"	-12	330	1000	\$334.00
QFH-16MF	1"	BSPP	1"	-16	300	800	\$548.00



-4							7
Coupler	Body	Thread			W.P.	B.P.	Price
Male	Size		T	Dash	(Bar)*	(Bar)*	Inc. GST
QFH-04M	1/4"	BSPP	1/4"	-04	420	1250	\$66.00
QFH-06M	3/8"	BSPP	3/8"	-06	350	1000	\$98.00
QFH-0608M	3/8"	BSPP	1/2"	-08	350	1000	\$90.00
QFH-08M	1/2"	BSPP	1/2"	-08	330	1000	\$110.00
QFH-0812M	1/2"	BSPP	3/4"	-12	330	1000	\$96.00
QFH-12M	3/4"	BSPP	3/4"	-12	330	1000	\$168.00
QFH-16M	1"	BSPP	1"	-16	300	800	\$264.00



Female Coupler



Male Coupler

* Connected


Plastic Caps and Plugs

To suit QFH High Pressure Flat Face



Caps	Size	Thread	Price
			Inc. GST
QPC-04-FF	1/4"	BSPP	\$5.50
QPC-06-FF	3/8"	BSPP	\$6.60
QPC-08-FF	1/2"	BSPP	\$8.80
QPC-12-FF	3/4"	BSPP	\$13.20
QPC-16-FF	1"	BSPP	\$16.50

Plugs	Size	Thread	Price
			Inc. GST
QPP-04-FF	1/4"	BSPP	\$5.50
QPP-06-FF	3/8"	BSPP	\$6.60
QPP-08-FF	1/2"	BSPP	\$8.80
QPP-12-FF	3/4"	BSPP	\$13.20
QPP-16-FF	1"	BSPP	\$16.50











CATFORD Jamestown SA 5491
ENGINEERING PRODUCTS

Phone: 0418 641 566 www.catford.com.au sales@catford.com.au

QBV

*Material - Steel

*Valve Type - Poppet


APPLICATIONS


General purpose steel hydraulic quick release couplings

Typical applications include agriculture, industrial equipment, earthmoving and construction equipment

FEATURES

Single acting, pull to release, sleeve Poppet type valve for improved sealing





TECHNICAL

Coupler Body – Steel, Trivalent Plated
Poppet Type Valve
Seals – Nitrile (Buna N) with PTFE backup ring
Temperature Range: -25°C to +120°C

INTERCHANGE

This range interchanges with:
Faster HNV, Parker 60, Aeroquip FD45
DNP PBV, Hansen HK, Stucchi IRB



Phone: 0418 641 566

www.catford.com.au sales@catford.com.au

QBV (ISO 7241-1 Type B Coupling)

List Prices March 2024

Coupler	Body Size	Thread Size	Dash	W.P. (Bar)	Price Inc. GST
QBV-08MF	1/2"	1/2" BSPP	8	250	\$95.00
QBV-12MF	3/4"	3/4" BSPP	12	230	\$150.00
QBV-16MF	1"	1" BSPP	16	200	\$220.00
Coupler	Body Size	Thread Size	Dash	W.P. (Bar)	Price Inc. GST
QBV-08F	1/2"	1/2" BSPP	8	250	\$77.00
QBV-12F	3/4"	3/4" BSPP	12	230	\$130.00
QBV-16F	1"	1" BSPP	16	200	\$165.00
Coupler	Body Size	Thread Size	Dash	W.P. (Bar)	Price Inc. GST
QBV-08M	1/2"	1/2" BSPP	8	250	\$22.00
QBV-12M	3/4"	3/4" BSPP	12	230	\$44.00
QBV-16M	1"	1" BSPP	16	200	\$77.00

Male	Measurements of the Male QBV Nipple						
Coupler	Α	A B C D E F G					
QBV-08M	23.5mm	25.7mm	22mm	25.7mm	12mm	23.5mm	31.5mm
QBV-12M	31.5mm	32.7mm	28.5mm	32.8mm	19mm	30.8mm	40mm
QBV-16M	38.2mm	40.6mm	36mm	41mm	20.5mm	35.5mm	47mm







